Product data sheet

Specifications





APC Replacement Battery Cartridge 141 with 2 Year Warranty

APCRBC141

Overview

Lead time

Main

| | Usually in Stock | |
|----------------|-------------------------------|--|
| | | |
| | | |
| Component Type | Replacement battery cartridge | |

| Product or Component Type | Replacement battery cartridge |
|---------------------------|-------------------------------|
| Battery Type | Lead-Acid battery |
| Provided Equipment | Battery recycling guide |

Batteries & Runtime

| Battery Slots Empty | 0 | |
|--------------------------|----------------------------|--|
| Included Battery Modules | 0 | |
| Device mounting | Enclosed battery cartridge | |
| RBC Quantity | 1 | |

Physical

| Color | Black |
|---------------|-----------------------|
| Height | 3.0 in (7.6 cm) |
| Width | 8.3 in (21 cm) |
| Depth | 15.7 in (40 cm) |
| Net Weight | 25.8 lb(US) (11.7 kg) |
| Mounting Mode | Not rack-mountable |
| | |

Environmental

| Ambient Air Temperature for Operation | 32.000000000104.0000000000 °F (040 °C) | |
|--|--|--|
| Operating altitude | 010000 ft | |
| Relative Humidity | 095 % non-condensing | |
| Ambient Air Temperature for Storage | 5.000000000113.0000000000 °F (-1545 °C) | |
| Storage altitude | 050000 ft (0.00000000015240.000000000 m) | |
| Storage Relative Humidity | 095 % non-condensing | |

Ordering and shipping details

| GTIN | 731304292531 |
|-------------------|--------------|
| Country of origin | PH |



Packing Units

| Unit Type of Package 1 | PCE |
|------------------------------|-------------------------|
| Number of Units in Package 1 | 1 |
| Package 1 Height | 8.0 in (20.3 cm) |
| Package 1 Width | 20.5 in (52.1 cm) |
| Package 1 Length | 13.5 in (34.3 cm) |
| Package 1 Weight | 28.99 lb(US) (13.15 kg) |


Contractual warranty

Warranty

2 years repair or replace

Sustainability Screen Premium

Green PremiumTM label is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.



Certifications & Standards

| Reach Regulation | REACh Declaration |
|---------------------------|--|
| Eu Rohs Directive | Pro-active compliance (Product out of EU RoHS legal scope) EU RoHS Declaration |
| Environmental Disclosure | Product Environmental Profile |
| Circularity Profile | End of Life Information |
| California Proposition 65 | WARNING: This product can expose you to chemicals including: Lead and lead compounds, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov |

